

SS-31 10mg

Sample ID: 2607AFL1258.4387

Internal Lab ID: ATL-38162

Client

Authenticchain

Matrix: Peptide

Received: 07/30/2026

Lic. #

Type: Vial (Injectable)

Completed: 07/31/2026

14050 NW 57 CT

Unit Weight: g

Batch#: V0124N

Miami Lakes, FL 33014



Summary

Test

Date Tested

Result

Batch

Complete

Peptides

Complete

99.79%
Total Purity

Analyte	Purity	Result	Analyte	Purity	Result
	%	mg/unit			
MTP 131	99.794	7.88			

ACCURATE
TEST LAB

Document ID: COA-12 Peptides Rev. 1, Test Method: TM-13
Date Tested: 07/31/2026

Unit Weight = 1




Lise Berthe-Laurent
Laboratory Director
07/31/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.